

# READER'S GUIDE to USING this PUBLICATION

Your fishing map guide is a thorough, easy-to-use collection of accurate contour lake maps along with geographic and biologic statistical information to help you locate a lake and enjoy a successful day out on the water of one of Michigan's excellent fisheries.

The heart of this book is the **contour lake map**. Copyrighted maps are used with permission from the Wisconsin Department of Natural Resources and are not intended for navigation. The lakes selected for this guide are confined to those that are accessible to the public.

Each map is accompanied by a **detailed write-up**. In each piece, you'll find fishing tips and hot spots specific to the body of water you're planning to fish.

Lake **stocking records** and **management comments** are provided courtesy of the Wisconsin Department of Natural Resources and summarized to reflect management trends and objectives for each fishery represented. Please keep in mind that annual fish stocking aspirations are directly affected by state hatchery production levels and sometimes the numbers available for stocking fluctuate considerably.

Detailed **area road maps** (1:210,000 scale) and **lake access** information is provided to help you plan your route to the lake. If there is more than one access point on a body of water, the GPS coordinates refer to the primary access. To locate a lake on these road maps, simply use the alphabetical lake listing on the back cover. Turn to that page to find the area road map page and coordinates for the lake. As a cross-reference, the area road maps include numbers on or adjacent to featured lakes, which designate the pages of the lake maps and information. Streams and rivers are also referenced in these area road maps.

While every effort is made to create the most accurate maps possible, the process of merging existing DNR maps with the latest GPS information will cause some slight differences to occur. (Especially on larger, more complicated lakes.) Please use the GPS grids provided in this book only as a guideline.

## GLOSSARY OF TERMS

**Gill net:** This is the main piece of equipment used for sampling walleye, northern pike, yellow perch, cisco, whitefish, trout, and salmon. The standard gill net is 6 feet tall by 250 feet long, with 5 different mesh sizes. Gill nets are generally set in off shore areas in water deeper than 9 feet. Nets are fished for a period of 24 hours. Fish are captured by swimming into the net and becoming entangled. Fisheries workers record length and weight data from each fish, determine the sex, look for parasites or disease, and remove several of the fishes scales for determining the fishes age. Most of the fish taken in gill nets are

killed, but only a small portion of the lakes fish population is sampled during an individual survey event. The number of gill nets set during a survey is dependant on the lake acreage.

**Trap net:** This is the main piece of equipment used for sampling bluegill, crappie, and bullheads. The standard trap net is 4 feet tall by 6 feet wide with a 40 foot lead. Trap nets are generally set perpendicular to shore in water less than 8 feet in depth. Nets are fished for a period of 24 hours. Fish are captured by swimming into the lead and following it towards the trap. Most of the fish collected in trap nets are returned back to the water as soon as the necessary biological data is recorded. The number of trap net sets during a survey is dependant on the lake acreage.

**Electrofishing:** This is a specialized type of equipment that is most often used for sampling largemouth bass, smallmouth bass, and young of the year walleye. A boat-mounted generator is used to induce electrical current into the water that stuns the fish, allowing fisheries workers to net the fish for placement in live wells. Most of the fish caught by electrofishing recover rapidly and are promptly returned to the water after the necessary biological data is recorded.

**CPUE:** An acronym representing "Catch Per Unit of Effort," a way of representing the density of a species population. Readings are in fish captured per hour or minute of surveying. The higher the CPUE value, the greater the number of fish present.

**PSD:** An acronym for "Proportional Stock Density," which is a way of representing the size structure of fish populations. It represents the percentage of "quality-size" fish within a given population. In arriving at this figure, one considers only fish of "stock" length (the size at which members of a given species reach sexual maturity) or greater. Young-of year fish are not included in the calculation. The higher the PSD number, the greater the percentage of "quality" fish within a particular population.

**RSD-12** (or -10 or -14, etc.): An acronym for "Relative Stock Density," which is yet another way of representing the size structure of fish populations. This corresponds to the percentage of fish at a given length or larger within a population. Hence, an RSD-14 reading of 25 for largemouth bass indicates that 25 percent of sexually mature bass are at least 14 inches in length. On another measurement scale, the RSD- values could be stated as "preferred," "memorable," or "trophy."

**YAR:** An acronym for "Young-(to)-Adult Ratio." This refers to the proportion of young-of-year fish in relation to adult or "quality-size" fish within a particular population. For balanced populations, the index should be about 1-to-10. In smaller waters, 1-to-3 is considered a reasonable ratio.

**Secchi Disk:** Used in measuring water clarity, it is a white-colored, plate-size device submerged on the end of a line until it reaches a point where it's no longer visible; the depth at which this occurs is measured and recorded. In this book, secchi disk readings are given in English measure. Of course, many factors influence water clarity, and secchi disk readings vary according to season, growth of vegetation, weather, location in a lake, even human activity. Hence the readings given are approximations for any lake—snapshots of the water clarity at a given time and in a given location.

## LEGEND

	Boat Ramp		Marina		Marsh		Red & Green Channel Buoys
	Carry Down Access		Lily Pads		Emergent Vegetation		White Hazard Buoy
	Access by Navigable Chann		Submergent Vegetation		Manmade Canal		River Mile
	Portage Access		Emergent Vegetation		Marked Fishing Spots		Daymarker
	Access Information Marker		Stumps		Submerged Rail		Light & Daymarker
	Campground		Flooded Timber		Submerged Road		County Road
	Picnic Area		Rocks		Bridge		State Highway
	Fishing Dock (Pier)		Submerged Culvert		Submerged Riverbed		US Highway
	Shore Fishing		Submerged Ruins		GPS Grid		Interstate
	Fish Attractors						
	Boat tie-up						

# PEAR LAKE

Washburn County


# McLAIN LAKE

Washburn County

# MATTHEWS LAKE

Washburn County

	PEAR LAKE	McLAIN LAKE	MATTHEWS LAKE
Area map page / coordinates:	14/E-3	14/E-3	14/E-3
Accommodations:	NA	NA	resort
Surface water area:	49 acres	150 acres	263 acres
Shorelength:	1.4 miles	2 miles	2.6 miles
Maximum depth:	32 feet	30 feet	26 feet
Mean depth:	17 feet	11 feet	12 feet
Secchi disk (water clarity):	12 feet	19 feet	13 feet
Water color:	clear	clear	clear
Lake type:	seepage	seepage	seepage
Littoral bottom types:	67% sand, 32% gravel, 1% muck	90% sand, 5% grvl, 5% muck	60% sand, 40% gravel
Basic management:	n. pike, walleye, LM bass, panfish	n. pike, walleye, LM bass, panfish	walleye, muskie, LM bass
Accessibility:	Trailer Launch, N. shore 46° 2' 37" N/ 92° 0' 8" W	Trailer Launch, off state hwy, limited parking 46° 2' 41" N/ 91° 57' 11" W	Trailer Launch, off Cnty Hwy F, NW corner resort 46° 1' 37" N/ 91° 57' 57" W



Pear Lake																		
Gamefish					Panfish					Rough Fish								
Muskie	N Pike	Walleye	LM Bass	SM Bass	Trout	Catfish	Sturgeon	B Crappie	W Crappie	Bluegill	Pumpkinseed	Y Perch	Bl Bullhead	Br Bullhead	Y Bullhead	Wh Sucker	Carp	Bowfin
C	C	C						C		A	P	P		P		C		
A=Abundant C=Common P=Present																		
1,750 WALLEYE FINGERLINGS STOCKED IN 1995 & 1996																		

McLain Lake																		
Gamefish					Panfish					Rough Fish								
Muskie	N Pike	Walleye	LM Bass	SM Bass	Trout	Catfish	Sturgeon	B Crappie	W Crappie	Bluegill	Pumpkinseed	Y Perch	Bl Bullhead	Br Bullhead	Y Bullhead	Wh Sucker	Carp	Bowfin
C	P	C						A	A	A	A							
A=Abundant C=Common P=Present																		

FISH STOCKING DATA			
year	species	age	# released
00	Walleye	Small Fingerling	10,017
02	Walleye	Small Fingerling	7,740

LENGTH OF SELECTED SPECIES SAMPLED FROM SURVEY									
Number of fish caught for the following length categories (inches):									
species	0-5	6-8	9-11	12-14	15-19	20-24	25-29	>29	Total
Walleye	-	-	1	1	1	-	-	-	3
Northern Pike	-	-	-	-	9	-	-	-	9
Largemouth Bass	-	2	-	1	-	-	-	-	3
Black Crappie	-	49	10	-	-	-	-	-	59
Bluegill	3	5	-	-	-	-	-	-	8

Matthews Lake																		
Gamefish					Panfish					Rough Fish								
Muskie	N Pike	Walleye	LM Bass	SM Bass	Trout	Catfish	Sturgeon	B Crappie	W Crappie	Bluegill	Pumpkinseed	Y Perch	Bl Bullhead	Br Bullhead	Y Bullhead	Wh Sucker	Carp	Bowfin
P		P	C							A						P		
A=Abundant C=Common P=Present																		

FISH STOCKING DATA			
year	species	age	# released
01	Muskellunge	Large Fingerling	260
02	Walleye	Small Fingerling	13,140
03	Muskellunge	Large Fingerling	262
04	Walleye	Small Fingerling	13,145
05	Muskellunge	Large Fingerling	289
06	Walleye	Small Fingerling	9,185

LENGTH OF SELECTED SPECIES SAMPLED FROM SURVEY									
Number of fish caught for the following length categories (inches):									
species	0-5	6-8	9-11	12-14	15-19	20-24	25-29	>29	Total
Walleye	1	66	189	36	19	7	1	-	319
Northern Pike	-	1	11	21	106	80	4	-	225
Largemouth Bass	30	31	61	131	5	-	-	-	258


## FISHING INFORMATION

On **Pear Lake**, fish the weed edges with jig-and-minnow combos for panfish; use sucker minnows for northerns. Cast the bars with crankbaits or spoons; topwater baits work well in the evenings along the shore. The fishery is self-sustaining. Large extended-growth walleye (1,750 7-inch fingerlings) were stocked in the fall of 1992 for the start of a warm-water research study. Walleyes were stocked again in '95 and '96.


**McLain Lake** is popular for northern pike, bass, and panfish, says Kurt Krueger, general manager of J.C. Bearpaw Co., 824

Bear Paw Ave., Rice Lake, WI 54868, (715) 236-7300. The lake has some largemouth bass pushing the 5- to 6-pound mark and nice crappies. Fish the weed edges in the small west bay for crappies. For northerns and bass, work the bars and weedlines. The population, is self sustaining, except for walleye. In 1986, walleye quotas were initiated through a fisheries management study to try to alter the size structure of a stunted panfish population through predation. Fingerling and extended growth walleye continue to be stocked, with the study ongoing. Panfish are numerous.


**Matthews Lake** has muskies, northerns, largemouths, and panfish. DNR fisheries manager Larry Damman described Matthews as a "fair" muskie lake." Although Matthews is managed for walleye and muskellunge – the species are stocked in alternate years – few anglers specifically fish for the 'eyes, according to Damman. Mid-lake bars and areas around the lake's perimeter are key walleye spots.



Pear Lake



McLain Lake



Matthews Lake

NOT FOR NAVIGATION